

01. Across Front


From the front of the garment, measure down from the center of an imaginary line across High Point of Shoulder as follows. Then measure straight across from armhole seam to armhole seam.

01A. Adult: Measure down 6"

01B. Children sizes: 3 month to 3T: Measure down 2 1/2"

01D. Children sizes: 4 - 7: Measure down 4".

01 E. Children sizes: 7- 16: Measure down 5".



02. Across Back


On the back of the garment, measure down from the center of an imaginary line across High Point of Shoulder as follows. Then measure straight across from armhole seam to armhole seam.

01A. Adult: Measure down 6"

01B. Children sizes: 3 month to 3T: Measure down: 2 1/2".

01D. Children sizes: 4 - 7: Measure down 4".


01 E. Children sizes: 7 - 16: Measure down 5".



03. Chest Width - Close pleats

Close all pleats.


On the front of the garment, measure straight across the chest 1" below the armholes, edge to edge.



04. Chest Width - Open gathers

Open gathers.


On the front of the garment, measure straight across the chest 1" below the armholes, edge to edge.



05. Chest at Armhole: Children's Sleepwear : CPSC


CPSC measure point for tight fitting sleepwear.

On the front of the garment, measure straight across the chest at the armpit. Measure from edge to edge.




06. Chest: Wrap style garment

On the back of the garment 1" below the armhole, measure straight across from seam to seam.



07. Chest: Kimono style garment

On the back of the garment, draw a line straight up from the side seam and straight in from the bottom of the sleeve to find the Armhole Point. Measure 1" down from the Armhole Point. From here, measure straight across from seam to seam.




08. Across Shoulder

On the back of the garment, measure straight across from shoulder point to shoulder point.

Shoulder point is located at the fold or the seam at the top of the armhole.


For garments with a forward rolling shoulder, the High Point of Shoulder will be located at the fold when the garment is laid flat, not at the shoulder seam.



09. Armhole Width

Lay garment flat. Following the armhole seam, measure from from the top of the armhole to the underarm seam. Follow the seam contour. Walk the tape on edge along the seam contour.


For garments with a forward rolling shoulder, the top of armhole will be located at the fold when the garment is laid flat, not at the shoulder seam.



10. Armhole Width: Sweaters

Lay garment flat. Measure straight from the top of the armhole to the underarm seam.


For garments with a forward rolling shoulder, the top of armhole will be located at the fold when the garment is laid flat, not at the shoulder seam.



11. Armhole Width: Sleeveless garments


Lay garment flat. Measure along the opening (the outer edge) from the top of armhole to underarm seam.

For garments with a forward rolling shoulder, the top of armhole will be located at the fold when the garment is laid flat, not at the shoulder seam.




12. Front Armhole: Raglan Sleeve

Lay garment flat. From the front of the garment, follow the contour of the armhole seam and measure from under the neck trim to the underarm seam.



13. Back Armhole: Raglan Sleeve


Lay garment flat. From the back of the garment, follow the contour of the armhole seam and measure from under the neck to the underarm seam.



14. Neck Opening: Seam to Seam

On the front of the garment, measure across the neck opening from seam to seam at High Point of Shoulder


For garments with a forward rolling shoulder, the High Point of Shoulder will be located at the fold when the garment is laid flat, not at the shoulder seam.



15. Neck Opening: Edge to Edge


On the front of the garment, measure across the neck opening from inside edge to inside edge at High Point of Shoulder.

For garments with a forward rolling shoulder, the High Point of Shoulder will be located at the fold when the garment is laid flat, not at the shoulder seam.



16. Front Neck Width: Garment with spaghetti strap


On the front of the garment, measure across the neck at strap junction from inside edge to inside edge.



17. Front Neck Depth: To top edge

On the front of the garment, measure from the center of the imaginary line across the High Point of Shoulder down to the top edge.


For garments with a forward rolling shoulder, the High Point of Shoulder will be located at the fold when the garment is laid flat, not at the shoulder seam.



18. Front Neck Depth: To seam

On the front of the garment, measure from the center of the imaginary line across the High Point of Shoulder, down to the neck seam.


For garments with a forward rolling shoulder, the High Point of Shoulder will be located at the fold when the garment is laid flat, not at the shoulder seam.



19. Front Neck Depth: To button

On the front of the garment, measure from the center of a line across the High Point of Shoulder down to the center of the top button.


For garments with a forward rolling shoulder, the High Point of Shoulder will be located at the fold when the garment is laid flat, not at the shoulder seam.



20. Back Neck Width: Garment with spaghetti strap

On the back of the garment, measure across the neck at strap junction from inside edge to inside edge.


On spaghetti strap garments, across shoulder and back neck width are the same point of measure.



21. Back Neck Depth: To top edge

On the back of the garment, measure from the center of the imaginary line across the High Point of Shoulder down to the edge of binding,


For garments with a forward rolling shoulder, the High Point of Shoulder will be located at the fold when the garment is laid flat, not at the shoulder seam.



22. Back Neck Depth: To seam

On the back of the garment, measure from the center of the imaginary line across the High Point of Shoulder, down to the neck seam.


For garments with a forward rolling shoulder, the High Point of Shoulder will be located at the fold when the garment is laid flat, not at the shoulder seam.



23. Center Back Sleeve Length: Set in sleeve

Mark 1/2 of the Across Shoulder measurement on tape measure. Place this measure point at the top of the armhole where the sleeve and shoulder join. From this point measure STRAIGHT to the bottom of the sleeve.


I.E. If the Across Shoulder measures 17", place the 8 1/2" measurement of the tape measure at the top of the shoulder and measure to the bottom of the sleeve.



24. Center Back Sleeve Length: Raglan Sleeve


Mark 1/2 of Neck Width measurement on tape. Place this measure point at Neck Side point. From this point, measure following the contour to the bottom of the sleeve.

I.E. If the Neck Width measures 7", place the 3 1/2" measurement of the tape measure at the Neck Side point and measure to the bottom of the sleeve.




25. Sleeve Cuff Width/Sleeve/ Wrist

Measure the opening width - inside edge to inside edge.




26. Sleeve Cuff Height

Measure from cuff seam to edge of cuff.




27. Muscle Width

With the tape measure perpendicular to the centerfold of the sleeve, measure straight across the sleeve 1" down from underarm seam.




28. Elbow

With the tape measure perpendicular to the centerfold of the sleeve, measure straight across the sleeve at midpoint (1/2) of the sleeve inseam. The sleeve inseam will include the cuff.




29. Waist Opening: Relaxed:Pants, Skirts

Match the front waist to the back waist. Measure side to side inside the waistband following the contour of the waistband.




30. Waist Opening: Stretched: Pants, Skirts

Match the front waist to the back waist. Measure side to side inside the waistband with the elastic fully stretched. Do not overstretch.




31. Waist: All in One- CPSC measure point

CPSC measure point for tight fitting sleepwear. At the narrowest location between under arm and crotch, measure straight across from edge to edge.




32. Waist: Bottom Opening Width: CPSC

CPSC measure point for tight fitting sleepwear. Measure straight across the bottom opening from inner edge to inner edge.



33. Waist Width: Garments with a waist seam

On the front of the garment, measure from edge to edge along the waist seam.




34. Waist Width: Wrap Garment

On the back of the garment.

Measure down from the High Point of Shoulder as follows, then measure straight across from edge to edge.

08A. Women's/ Men's: Measure down: 17" 08B. Petites: Measure down: 16 1/4" 08C. Children: Measure down: 11"

* The distance to measure down may vary by style. Use the distance given in the specification.




35. Waist Width: Garments with no waist seam

On front of garment, measure down from the High Point of Shoulder, then measure straight across from edge to edge.

08A. Women's/ Men's: Measure down: 17" 08B. Petites: Measure down: 16 1/4" 08C. Children: Measure down: 11"

* The distance to measure down may vary by style. Refer to specification.



36. Low Hip/Seat:(Straight) From waist seam: Close pleats

Lay garment flat, matching front and back waist seams. CLOSE ANY PLEATS. At the center front of the garment, measure down from the bottom of the waistband as follows, then measure STRAIGHT across from edge to edge.


36 A. Adult: Measure down 8"

36 B. Petite: Measure down 7 "

36 C. Children sizes: 3 month to 3T: Measure down 4"

36 D. Children sizes 4-7: Measure down 5 1/2"


36 E. Children sizes: 8-12: Measure down 6 1/2"



37. Low Hip/Seat: (Straight)From waist seam: Open gathers

Lay garment flat, matching front and back waist seams. OPEN GATHERS. At the center front of the garment, measure down from the bottom of the waistband as follows, then measure STRAIGHT across from edge to edge.


- 37 A. Adult: Measure down 8"
- 37 B. Petite: Measure down 7"
- 37 C. Children sizes: 3 month to 3T: Measure down 4"
- 37 E. Children sizes 4-7: Measure down 5 1/2"
- 37 F. Children sizes: 8-12: Measure down 6 1/2".



38. Low Hip/Seat:(Straight) From HPS: Close pleats

Lay garment flat, matching front and back waist seams. CLOSE ANY PLEATS. Measure down from the center of a line across High Point of Shoulder (HPS) as follows, then measure STRAIGHT across from edge to edge.

- 38 A. Women/Men: Measure down: 25"
- 38 B. Petite: Measure down: 24"
- 38 C. Children sizes: 3 month to 3T: Measure down 21"
- 38 d. Children sizes 4-7: Measure down 22 1/2"
- 38 E. Children sizes: 8-12: Measure down 23 1/2".




39. Low Hip/Seat:(Straight) From HPS: Open gathers

Lay garment flat, matching front and back waist seams.

OPEN GATHERS. Measure down from the center of a line across High Point of Shoulder (HPS) as follows, then measure STRAIGHT across from edge to edge.


- 39 A. Women/Men: Measure down: 25"
- 39 B. Petite: Measure down: 24"
- 39 C. Children sizes: 3 month to 3T: Measure down 21"
- 39 D. Children sizes 4-7: Measure down 22 1/2"
- 39 E. Children sizes: 8-12: Measure down 23 1/2"



40. Low Hip/Seat: (Straight) CPSC ms Point - Tight Fitting

(CPSC Measure point for tight fitting sleepwear)
On the front of the garment, measure up from the center of the crotch 4". At this point, measure straight across from edge to edge.

If the garment has a crotch gusset, the center of crotch will be the center of the gusset.



41. Low Hip/Seat: (3 Point): Close pleats

For pants and skirts. Match the front waist to the back waist. Close pleats. Measure down from the bottom of the waistband at side edges and at center front as follows.

Measure across these 3 points, edge to edge.


42 A. Adults: Measure down 8"

42 B. Petites: Measure down 7"

42 C. Children sizes: 3 month to 3T: Measure down 4"

42 D. Children sizes 4-7: Measure down 5 1/2"

42 E. Children sizes: 8-12: Measure down 6 1/2"



42. Low Hip/Seat: (3 Point): Open gathers

For pants and skirts. Match the front waist to the back waist. Open gathers. Measure down from the bottom of the waistband at side edges and at center front as follows. Measure across these 3 points, edge to edge.


42 A. Adults: Measure down 8"

42 B. Petites: Measure down 7"

42 C. Children sizes: 3 month to 3T: Measure down 4"

42 D. Children sizes 4-7: Measure down 5 1/2"

42 E. Children sizes: 8-12: Measure down 6 1/2"



43. Low Hip/Seat: (3 Point): No Waist or Low rise

For pants and skirts. Match the front waist to the back waist. CLOSE PLEATS. Measure down from the top edge at side edges and at center front as follows. Measure across these 3 points, edge to edge.


43 A. Adults: Measure down 8"

43 B. Petites: Measure down 7"

43 C. Children sizes: 3 month to 3T: Measure down 4"

43 D. Children sizes 4-7: Measure down 5 1/2"

43 E. Children sizes: 8-12: Measure down 6 1/2".




44. High Hip/Seat: (3 Point): Close pleats

For pants and skirts. Match the front waist to the back waist. Open gathers. Measure down from the bottom of the waistband at side edges and at center front as follows. Measure across these 3 points, edge to edge.

42 A. Adults: Measure down 4"


42 B. Petites: Measure down 3 1/2"



45. High Hip/Seat: (3 Point): Open gathers

For pants and skirts. Open gathers. Match the front waist to the back wsaist. Measure down from the bottom of the waistband at side seams and at center front as follows. Measure across these 3 points, edge to edge.


45 A. Adults: Measure down 4" 45 B. Petites: Measure down: 3 1/2"



46. High Hip/Seat: (3 POINT): No Waist or Low rise


For pants and skirts. Close pleats. Match the front waist to the back waist. Measure down from the top edge at side edges and at center front as follows. Measure across these 3 points, edge to edge.

46 A. Adults: Measure down 4"
46 B. Petites: Measure down 3 1/2"




47. Sweep: Tops

Tops: Measure straight across the bottom from edge to edge.




48. Sweep: Dresses, Robes, Skirts

Measure at the hem, following the contour of the hem, from edge to edge.




49. Sweep: Garments with vents

Measure straight across at the top of the vent or slits from edge to edge.



50. Sweep: Wrap Styles


From the back of the garment, measure from seam to seam following the contour of the hem.



51. Center Back Length


On the back of the garment, measure from the center of the imaginary line across the High Point of Shoulder straight down to the bottom of the garment.

For garments with a forward rolling shoulder, the High Point of Shoulder will be located at the fold when the garment is laid flat, not at the shoulder seam.




52. Center Back Length: Skirts with waistband

From the back of the skirt, match the front and back waists. At center back, measure from below the waistband to the bottom of the garment.




53. Center Back Length: Skirts with bandless waistband From the back of the skirt, match the front and back waists. At center back, measure from the top edge to the bottom of the garment.



54. Center Back Length: Garment with spaghetti strap


On the back of the garment, measure from the center of a line across the point where the strap junctions with the body to the bottom of the garment.



55. Center Front Length


On the front of the garment, measure from the center of the imaginary line across the High Point of Shoulder straight down to the bottom of the garment.

For garments with a forward rolling shoulder, the High Point of Shoulder will be located at the fold when the garment is laid flat, not at the shoulder seam.




56. Center Front Length: Garment with adjustable strap

On the front of the garment, measure from the center of a line across the point where the strap junctions with the body, to the bottom of the garment.




57. Bodice Seam Placement: Front

(Only for garments with defined waist)
From the front of the garment, measure from the center of
the imaginary line across the High Point of Shoulder to the
waist seam.



58. Bodice Seam Placement: Back


(Only for garments with defined waist)
From the back of the garment, measure from the center of the imaginary line across the High Point of Shoulder to the waist seam.



59. Yoke Depth


Measure from the imaginary line across the High Point of Shoulder to the yoke seam.

For garments with a forward rolling shoulder, the High Point of Shoulder will be located at the fold when the garment is laid flat, not at the shoulder seam.



60. Thigh


Lay garment flat. On the front, from 1" below the crotch, measure straight across the leg from edge to edge, perpendicualr to the grain of the fabric.



61. Thigh: Infant All in One, Long Johns


CPSC measure point for tight fitting sleepwear. From the back of the garment, measure 1" down from the center of the crotch. Then measure straight across the leg from edge to edge.

If the garment has a crotch gusset: Fold the gusset to find the center point. Measure across gusset 1" from the center, from this point measure straight across the leg from edge to edge.




62. Knee: Adult

Lay garment flat. On the front, measure down 12" from the crotch. From this point, measure straight across the leg from edge to edge, perpendicular to the grain of the fabric.




63. Knee: Children's sizes

Lay garment flat. At the midpoint of the inseam (1/2 way) measure straight across the leg from edge to edge, perpendicular to the grain of the fabric.



64. Leg Opening / Leg Cuff Opening


Measure straight across the bottom opening from inner edge to inner edge



65. Inseam


Fold the pant matching the inseams and outseams. Fold one leg back. Measure from where the crotch seam joins the inseam to the bottom of the pant leg.

On Long Johns measure from the center bottom of the gusset to the bottom of the leg.




66. Outseam: Garments with waistband

Fold the pant matching the inseams and outseams. Lay the garment flat as folded. Measure from the bottom of the waistband to the bottom of the garment following the contour of the side seam.




67. Outseam: Garments with bandless waistband

Fold the pant matching the inseams and outseams. Lay the garment flat as folded. Measure from the top edge to the bottom of the garment following the contour of the side seam.



68. Front Rise: Garments with waistband


Fold the pant matching the inseams and outseams. Lay the garment flat as folded. Lift one side to uncover the front rise. Following the contour of the seam, measure from the bottom of the waistband to the point where the crotch seam joins the inseam (or to the center of a gusset on Long johns). Walk the measuring tape on edge along the seam contour.



69. Front Rise: Garments with bandless waistband

Fold the pant matching the inseams and outseams. Lay the garment flat as folded. Lift one side to uncover the front rise. Following the contour of the seam, measure from the top edge to the point where the crotch seam joins the inseam.


Walk the measuring tape on edge along the seam contour.



70. Back Rise: Garment with waistband

Fold the pant matching the inseams and outseams. Lay the garment flat as folded. Lift one side to uncover the back rise. Following the contour of the seam, measure from the bottom of the waistband to the point where the crotch seam joins the inseam (or to the center of a gusset on Long Johns).


Walk the measuring tape on edge along seam contour.



71. Back Rise: Garment with bandless waistband


Fold the pant matching the inseams and outseams. Lay the garment flat as folded. Lift one side to uncover the back rise. Following the contour of the seam, measure from the top edge to the point where the crotch seam joins the inseam.

Walk the measuring tape on edge along seam contour.



72. Inside Neck Circumference: Button Collar


Undo the buttons and lay the collar flat so that the inside of the collar is facing you. On collar or collar stand, measure from the center of the button to the end of the buttonhole.



73. Collar Point

Measure from collar join seam to collar point.


For a curved collar, collar point is determined by the intersection of points A and B as shown



74. Center Back Collar/Neck Band Height


At center back of the collar, measure from the neck seam to the top edge of the neck band, or collar (this includes the collar stand if applicable).

This measurement does not include trim applied to the edge of the collar.




75. Hood Height

Fold the hood in half matching the edges. Measure from the neck seam at the shoulder to the top of the hood.




76. Hood Width

Fold the hood in half matching the front edges. At the widest point, measure straight across from edge to edge, perpendicular to the opening.




77. Zipper Opening - Functional

With the zipper open, measure from the top stop to the bottom of the zipper stop.




78. Body Length: All in One

On the back of the garment, measure from the High Point of Shoulder to the bottom of the garment.




79. Body Length (Diagonal) All in One

On the back of the garment, measure from the High Point of Shoulder to the center of the crotch panel or crotch gusset.



80. Leg Cuff Height


Measure from the cuff seam to the edge of the cuff.



81. Upper Arm: CPSC Measurement


Extend a line from side seam (A to B) to shoulder (C) of garment. Measure from this point down the center fold of the sleeve (C to D) the distance specified for the appropriate size. At this point, measure across the sleeve (D to E) perpendicular to the sleeve fold.

On garments with a dropped shoulder, Point C may not fall on the armhole seam.




82. Cap: Opening Width (rolled)

Lay flat. Measure inside of opening from inner edge to inner edge.




83. Cap: Height At Center To Top (Unrolled)

Unroll cuff and untie any knots. Measure straight from the bottom edge of the cap to the highest point of the cap.




84. Cap: Roll Back Height

Measure from the bottom edge of the fold to the top of the roll back. Note: the inside seam should be concealed.




85. Placket Opening

With the placket open, measure from the top of the placket at the neck seam to the bottom edge of the opening.




86. Vent Height

Measure total vent opening from the top edge of the opening to the bottom edge.




87. Shirttail Height

Lay garment flat, mark a line straight across from edge to edge at the bottom of the side fold/seam. From the center of this line, measure straight down to the bottom of the garment.




88. Pocket Placement: Below HPS

From an imaginary line across High Point of Shoulder, measure straight down the garment to the top edge of pocket.



89. Pocket Placement: below HPS


From an imaginary line across High Point of Shoulder, measure straight down the garment to the top edge of pocket.



90. Pocket Placement: Patch/Onseam Pocket


Draw a straight line across the top of pocket. At the side seam, measure straight down to this line from the bottom of the waistband.

For a bandless waist, measure down from the top edge .




91. Pocket Placement: Quarter Pocket

At the side seam, measure from the bottom of the waist band to the pocket opening.




92. Pocket Placement: From side seam

From the top corner edge of the pocket, measure straight across to the side fold/seam.




93. Pocket Opening

Measure pocket opening from inside edge to inside edge.




94. Pocket Width

Measure straight across the widest part of the pocket from outside edge to outside edge.




95. Pocket Height

Measure straight down from the top edge to the bottom edge of the pocket at the highest point.




96. Belt Loop Placement: From HPS

From imaginary line across High Point of Shoulder, measure straight down to the top of the belt loop.




97. Belt Loop Placement: From side seam at waist

From the side seam, measure to the outer edge of the belt loop.




98. Belt Length

Lay belt flat, measure end to end.




99. Belt Width

Lay belt flat. Measure from edge to edge.




100. Belt Loop Length

On the finished garment, measure from top edge to bottom edge.




101. Belt Loop Width

On the finished garment, measure from side edge to side edge.




102. Bib Height at center front

At center of bib, measure from the top edge to the bib seam.



103. Girth (Day Bra - Pullover Styles)


Measure straight across the bottom of the bra from inside edge to inside edge.



104. Girth:Bra (Fastening styles)


Lay garment flat. Measure total length from end to end along bottom edge. Do not stretch.

Garnet Hill: How to Measure 105. Bra: # of Positions Number of rows of hooks counted horizontally. 106. Bra: # of Closures Number of hooks counted vertically in one row. 107. Underwear: Length Below Waistband to Crotch Match the front waist to the back waist. Measure straight down from bottom of waistband to the crotch panel fold. 108. Strap Length (Extended or Nonadjusting) With the strap fully extended, measure from the front strap junction to the back strap junction.




109. Underwear: Leg Opening

Match the front waist to the back waist. Measure straight across the leg opening from edge to edge.




110. Underwear: Crotch Panel Width

Match front waist to back waist. Measure from the edge of the leg opening to the edge of the leg opening along the crotch panel fold.




111. Underwear: Outseam

Match front waist to back waist. Measure from below the waistband to the top of the leg opening following the contour of the fold.




112. Underwear: Crotch Panel Length

Measure the length of the crotch panel from the center front seam to the center back seam.




113. Raglan Placement below HPS at neck

Measure from the center of the imaginary line across High Point of shoulder, down to the center of the imaginary line across the top of the raglan seams.



114. Raglan Width


Measure straight across from the top of one raglan seam to the top of the other raglan sleeve.



115. Shoulder Slope


On the front of the garment, measure from an imaginary line across High Point of Shoulder down to the shoulder point.

On drop shoulder styles, shoulder point is found by drawing a line straight up the side seam to the top of the garment.




116. Front Neck Depth: To robe crossover

Lay garment flat, folded at the side seams. On the front of the garment, measure from a line across High Point of Shoulder to Center Front where the garment crosses over and the neck opening ends.



117. Belt with Buckle: Length


Lay belt flat, measure from the center hole to where the fabric or leather attaches to the buckle.



118. Heel Height: Shoes/Boots

Measure the outside depth of the heel


For shoes with a wide outer sole - subtract the depth of the sole from the heel measurement to find heel height.



119. Boot: Height and Circumference


Shaft Height: Measure along the back seam from the top of the heel to the top of the boot.

Circumference: Measure the opening width of the boot by placing a tape measure inside the top opening.




120. Handbag

Width: Measure from edge to edge across the width. Height: Measure from edge to edge up the height. Depth: Measure from edge to edge across the depth. Strap Length: Measure the total length of the strap from end to end.



121. Earring: Drop


Measure the full length of the earring from the top edge to bottom edge.



122. Watch: Strap Length, Watch size

Strap Length: Measure the strap length from end to end.

Watch size: Measure the diameter of a round watch, the width and length of a retangular watch.



123. Necklace

Length: Measure the length from end to end

Pendant: Measure the diameter or width and length of a pendant.